



RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: US/09/762,283A
Source: PCT
Date Processed by STIC: 11-23-04

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.2 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 06/05/04):
U.S. Patent and Trademark Office, 220 20th Street S., Customer Window, Mail Stop Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, VA 22202

Revised 05/17/04

BEST AVAILABLE COPY



PCT

RAW SEQUENCE LISTING

DATE: 11/23/2004

PATENT APPLICATION: US/09/762,283A

TIME: 12:23:24

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\11232004\I762283A.raw

3 <110> APPLICANT: Perez Gomariz, Rosa
 4 Leceta Martinez, Javier
 5 Delgado Mora, Mario
 6 Martinez Mora, Carmen
 7 <120> TITLE OF INVENTION: Method for Treating Endotoxic Shock and Inflammatory and
 8 Autoimmune Diseases in Mammals
 9 <130> FILE REFERENCE: 100700-09144 [HERR 18.313]
 10 <140> CURRENT APPLICATION NUMBER: US 09/762,283A
 C--> 11 <141> CURRENT FILING DATE: 2004-03-28
 12 <160> NUMBER OF SEQ ID NOS: 3

ERRORED SEQUENCES

38 <210> SEQ ID NO: 3
 39 <211> LENGTH: 27
 40 <212> TYPE: PRT
 41 <213> ORGANISM: Homo sapiens
 42 <400> SEQUENCE: 3
 43 His Ser Asp Gly Ile Phe Thr Asp Ser Tyr Ser Arg Tyr
 44 1 5 10
 E--> 45 Arg Lys Gln Met Ala Val Lys Lys Thy Leu Ala Ala Val
 46 15 20 25
 47 Leu
 E--> 50
 E--> 51
 E--> 52 (continued from previous page . . .)
 E--> 53 (continued)
 E--> 57 11189877.01

Does Not Comply
 Corrected Diskette Needed

(PS. 1-2)

Invalid
 Amino Acid
 designator

delete

VERIFICATION SUMMARY

DATE: 11/23/2004

PATENT APPLICATION: US/09/762,283A

TIME: 12:23:25

Input Set : A:\PTO.YF.txt

Output Set: N:\CRF4\11232004\I762283A.raw

L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:45 M:330 E: (2) Invalid Amino Acid Designator, NUMBER OF INVALID KEYS:1
L:50 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:3 ✓
L:50 M:330 E: (2) Invalid Amino Acid Designator, NUMBER OF INVALID KEYS:1 ✓
M:332 Repeated in SeqNo=3
L:51 M:330 E: (2) Invalid Amino Acid Designator, NUMBER OF INVALID KEYS:1 ✓
L:52 M:330 E: (2) Invalid Amino Acid Designator, NUMBER OF INVALID KEYS:7 ✓
L:53 M:330 E: (2) Invalid Amino Acid Designator, NUMBER OF INVALID KEYS:1 ✓
L:57 M:252 E: No. of Seq. differs, <211> LENGTH:Input:27 Found:37 SEQ:3 ✓